



PRODUCT CATALOGUE
2024



SWIMMING POOL LIGHTS SURFACE




GLC-N103 SURFACE

Power - 3W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 1500/-
Driver extra



GLC-N106 SURFACE

Power - 6wt
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 2100/- | RGB - 2800/-
Driver extra



GLC-N109 SURFACE

Power - 9wt
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 2800/-
Driver extra



GLC-N112 SURFACE

Power - 12wt
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 3400/- | RGB - 4000/-
Driver extra



GLC-N118 SURFACE

Power - 18wt
LED - 3030 Osram
Colour temp - 3000
CRI - >80Ra
Voltage - 24VDC
Beam Degree - 90
Material - ABS
Dimension - Ø230mm x h-52mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 3900/-
Driver extra



GLC-N124 SURFACE

Power - 24wt
LED - 3030 Osram
Colour temp - 3000
CRI - >80Ra
Voltage - 24VDC
Beam Degree - 90
Material - ABS
Dimension - Ø300mm x h-52mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 4900/-
Driver extra



GLC-N203 CONSEAL

Power - 3W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø100mm x Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 1800/-
Driver extra



GLC-N206 CONSEAL

Power - 6W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink /
rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø100mm x Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 2400/- | RGB - 3100/-
Driver extra



GLC-N209 CONSEAL

Power - 9W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø140mm x Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 3300/-
Driver extra



GLC-N212 CONSEAL

Power - 12W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber /
pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø140mm x Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 3900/- | RGB - 4500/-
Driver extra



GLC-N303 STAND

Power - 3W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 1600/-
Driver extra



GLC-N306 STAND

Power - 6W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber /
pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 2200/-RGB - 2900/-
Driver extra



Nv0309 STAND

Power - 9W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 2950/-
Driver extra




GLC-N312 STAND

Power - 12W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink /
rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 3550/- | RGB - 4150/-
Driver extra



GLC-N401 Inground uplight

Power - 1W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 6VDC
Beam Degree - 20
Material - SS304 + Aluminum +
Glass + PC
Dimension - Ø43mm x Ø34mm x h-45mm
Wire - 1ft
IP Grade - IP68
Warranty - 1 YEAR
Price - 700/-
Driver extra




GLC-N403 Inground uplight

Power - 3W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - SS304 + Aluminum +
Glass + PC
Dimension - Ø85mm x Ø75mm x h-61mm
Wire - 1mtr
IP Grade - IP68
Warranty - 1 YEAR
Price - 1600/-
Driver extra



GLC-N406 Inground uplight

Power - 6W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber /
pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - SS304 + Aluminum +
Glass + PC
Dimension - Ø85mm x Ø75mm x h-61mm
Wire - 1mtr
IP Grade - IP68
Warranty - 1 YEAR
Price - 1800/-RGB - 2500/-
Driver extra



GLC-N409 Inground uplight

Power - 9W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC Beam Degree - 45
Material - SS304 + Aluminum +
Glass + PC
Dimension - Ø110mm x Ø85mm x h-65mm
Wire - 1mtr
IP Grade - IP68
Warranty - 1 YEAR
Price - 3200/-
Driver extra



GLC-N412 Inground uplight

Power - 12W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber /
pink / rgb
CRI - >80Ra
Voltage - 12VDC Beam Degree - 45
Material - SS304 + Aluminum +
Glass + PC
Dimension - Ø110mm x Ø85mm x h-65mm
Wire - 1mtr
IP Grade - IP68
Warranty - 1 YEAR
Price - 3400/- | RGB - 4300/-
Driver extra



INGROUND UPLIGHT INBUILT DRIVER



GLC-N502 Inground uplight inbuilt driver

Power - 2W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 20
Material - SS304 + Aluminum +
Glass + PC
Dimension - Ø43mm x Ø34mm x h-70mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 1100/-



GLC-N503 Inground uplight inbuilt driver

Power - 3W
LED - Cree
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 24/36/45/60
Material - SS304 + Aluminum +
Glass
Dimension - Ø70mm x Ø55mm x h-86mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 1900/-



GLC-N506 Inground uplight inbuilt driver

Power - 6W
LED - Cree
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 24/36/45/60
Material - SS304 + Aluminum +
Glass
Dimension - Ø70mm x Ø55mm x h-86mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 2300/-



GLC-N509 Inground uplight inbuilt driver

Power - 9wt
LED - Cree
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 24/36/45/60
Material - SS304 + Aluminum +
Glass
Dimension - Ø100mm x Ø75mm x h-86mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 2800/-



GLC-N512 Inground uplight inbuilt driver

Power - 12wt
LED - Cree
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 24/36/45/60
Material - SS304 + Aluminum +
Glass
Dimension - Ø100mm x Ø75mm x h-86mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 3000/-



WALL WASHER



Wall Washer GLC-N 63



Wall Washer GLC-N 66



Wall Washer GLC-N 601



Wall Washer GLC-N 602



Wall Washer GLC-N 603



Wall Washer GLC-N 604

GLC-N63
GLC-N66
GLC-N601
GLC-N602
GLC-N603
GLC-N604


Power	LED	Colour Temp	CRI	Voltage	Beam Degree	Material	Dimension	Wire	IP Grade	Warranty	Price
3W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VAC	10/15 30/60	Aluminum + PC	93mm x 43mm x 48mm	1ft	Ip65	1 YEAR	1900/-
6W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VAC	10/15 30/60	Aluminum + PC	168mm x 43mm x 48mm	1ft	Ip65	1 YEAR	2300/-
11W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VAC	10/15 30/60	Aluminum + PC	300mm x 43mm x 48mm	1ft	Ip65	1 YEAR	4000/- RGB - 5000/- RGBWW - 9000/-
22W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VAC	10/15 30/60	Aluminum + PC	600mm x 43mm x 48mm	1ft	Ip65	1 YEAR	5000/- RGB - 6000/- RGBWW -11000/-
33W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VAC	10/15 30/60	Aluminum + PC	900mm x 43mm x 48mm	1ft	Ip65	1 YEAR	6000/- RGB -7000/- RGBWW -13000/-
45W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VAC	10/15 30/60	Aluminum + PC	1200mm x 43mm x 48mm	1ft	Ip65	1 YEAR	7000/- RGB -8000/- RGBWW -15000/-



LINEAR INGROUND



Linear Inground GLC-N 73



Linear Inground GLC-N 76



Linear Inground GLC-N 701



Linear Inground GLC-N 702



Linear Inground GLC-N 703



Linear Inground GLC-N 704

GLC-N73
GLC-N76
GLC-N701
GLC-N702
GLC-N703
GLC-N704

Power	LED	Colour Temp	CRI	Voltage	Beam Degree	Material	Dimension	Wire	IP Grade	Warranty	Price
3W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	103mm x 45mm x 70mm	1ft	Ip65	1 YEAR	2500/-
6W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	170mm x 45mm x 70mm	1ft	Ip65	1 YEAR	3300/-
11W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	310mm x 45mm x 70mm	1ft	Ip65	1 YEAR	4300/-
22W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	600mm x 45mm x 70mm	1ft	Ip65	1 YEAR	6200/-
32W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	910mm x 45mm x 70mm	1ft	Ip65	1 YEAR	7800/-
45W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	1210mm x 45mm x 70mm	1ft	Ip65	1 YEAR	9400/-



NOZZLE FOUNTAIN LIGHT



GLC-N 806 6wt Nozzle Fountain Light

Power - 6wt / 18wt
LED - Edison
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber /
pink / RGB
CRI - >80Ra
Voltage - 24VDC
Beam Degree - 10/15/30/60
Material - Aluminum +PC
Dimension -
Ø130mm x Nozzle Ø38mm x h-80mm
Wire - 2mtr
IP Grade - IP68
Warranty - 1 YEAR
Price - 2900/- RGB - 3500/-
Driver Extra.

GLC-N 809 9wt Nozzle Fountain Light

Power - 9wt / 27wt
LED - Edison
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber /
pink / RGB
CRI - >80Ra
Voltage - 24VDC
Beam Degree - 10/15/30/60
Material - SS304 + Aluminum +PC
Dimension -
Ø130mm x Nozzle Ø38mm x h-80mm
Wire - 2mtr
IP Grade - IP68
Warranty - 1 YEAR
Price - 3700/- RGB - 4500/-
Driver Extra.





GLC-N 906 Round Flood Light

Power - 6W
LED - Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Surge Protection - 2.5KVA
Beam Degree - 10/15/30/60
Material - Aluminum Die-cast +
Tempered Glass
Dimension - Ø95mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - Driver extra
Price - 3000/-



GLC-N 912 Round Flood Light

Power - 12W
LED - Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Surge Protection - 2.5KVA
Beam Degree - 10/15/30/60
Material - Aluminum Die-cast +
Tempered Glass
Dimension - Ø130 x h-160mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 4000/-



GLC-N 918 Round Flood Light

Power - 18W
LED - Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Surge Protection - 4KVA
Beam Degree - 10/15/30/60
Material - Aluminum Die-cast +
Tempered Glass
Dimension - Ø150 x h-160mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 5000/-




GLC-N 924 Round Flood Light

Power - 24W
LED - Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Surge Protection - 4KVA
Beam Degree - 10/15/30/60
Material - Aluminum Die-cast +
Tempered Glass
Dimension - Ø180 x h-210mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 6000/-



GLC-N 1004 1x2wt Wall Light

Power - 2W
LED - Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Surge Protection - 1.5KVA
Beam Degree - 90
Material - Aluminum Die-cast + PC
Dimension - 70mm x h40mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 550/-



GLC-N 1004 2x2wt Wall Light

Power - 4W
LED - Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Surge Protection - 1.5KVA
Beam Degree - 90
Material - Aluminum Die-cast + PC
Dimension - 70mm x h40mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 650/-



GLC-N 1004 4x1wt Wall Light

Power - 4W
LED - Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Surge Protection - 1.5KVA
Beam Degree - 90
Material - Aluminum Die-cast + PC
Dimension - 58mm x 58mm x h40mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 750/-



GLC-N 1010 01 Foot Light Straight inbuilt driver

Power - 2W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 45
Material - SS304 + Aluminum +
Glass + PC
Dimension -
Ø43mm x Ø34mm x h-70mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 1200/-



GLC-N 1010 02 Foot Light Straight inbuilt driver

Power - 2W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 45
Material - SS304 + Aluminum +
Glass + PC
Dimension -
Ø43mm x Ø34mm x h-70mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 1200/-



GLC-N 1010 03 Foot Light Straight inbuilt driver

Power - 2W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 45
Material - SS304 + Aluminum +
Glass + PC
Dimension -
Ø43mm x Ø34mm x h-70mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 1200/-



GLC-N 1010 04 Foot Light Straight inbuilt driver

Power - 2W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 45
Material - SS304 + Aluminum +
Glass + PC
Dimension -
Ø43mm x Ø34mm x h-70mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 1200/-



GLC-N 1011 06 **Outdoor Surface Cylinder**

Power - 6W
LED - Cree
Colour temp - 3000 / 4000 / 6000
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 45
Material - Aluminum Die cast
Dimension - Ø58mm x h-90mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price -

GLC-N 1011 12 **Outdoor Surface Cylinder**

Power - 12W
LED - Cree
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 45
Material - Aluminum Die cast
Dimension - Ø75mm x h-100mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price -

GLC-N 1011 18 **Outdoor Surface Cylinder**

Power - 18W
LED - Cree
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 45
Material - Aluminum Die cast
Dimension - Ø95mm x h-125mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR
Price -



GLC-N 1103 Cone Fitting

Power - 3W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 10/15/30/60
Material - SS304 + Glass
Dimension - Ø82mm x h-142mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 1600/-
Driver Extra



GLC-N 1106 Cone Fitting

Power - 6W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber /
pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 10/15/30/60
Material - SS304 + Glass
Dimension - Ø82mm x h-142mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 2200/- | RGB - 2900/-
Driver Extra

GLC-N 1109 Cone Fitting

Power - 9W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 10/15/30/60
Material - SS304 + Glass
Dimension - Ø120mm x h-145mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 2950/-
Driver Extra

GLC-N 1112 Cone Fitting

Power - 12W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber /
pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 10/15/30/60
Material - SS304 + Glass
Dimension - Ø120mm x h-145mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR
Price - 3550/- | RGB - 4150
Driver Extra



GLC-N 1012 50wt LED Flood Light

Power - 50W
LED - 2835 Osram / Edison
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 120
Material - Aluminum Die Cast
+ Glass
Wire - 1ft
Driver - PF 0.95 with 6kva surge
IP Grade - IP65
Warranty - 1 YEAR
Price - 1400/-



GLC-N 1012 100wt LED Flood Light

Power - 100W
LED - 2835 Osram / Edison
Colour temp - 3000 / 4000 /
6000 / red / blue / green /
amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 120
Material - Aluminum Die Cast
+ Glass
Wire - 1ft
Driver - PF 0.95 with 6kva surge
IP Grade - IP65
Warranty - 1 YEAR
Price - 2300/-



GLC-N 1012 150wt LED Flood Light

Power - 150W
LED - 2835 Osram / Edison
Colour temp - 3000 / 4000 /
6000 / red / blue / green /
amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 120
Material - Aluminum Die Cast
+ Glass
Wire - 1ft
Driver - PF 0.95 with 6kva surge
IP Grade - IP65
Warranty - 1 YEAR
Price - 3300/-




GLC-N 1012 200wt LED Flood Light

Power - 200W
LED - 2835 Osram / Edison
Colour temp - 3000 / 4000 /
6000 / red / blue / green /
amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 120
Material - Aluminum Die Cast
+ Glass
Wire - 1ft
Driver - PF 0.95 with 6kva surge
IP Grade - IP65
Warranty - 1 YEAR
Price - 4500/-



GLC-N 1012 200wt LED Flood Light 2in 1

Power - 200W
LED - 2835 Osram / Edison
Colour temp - 3000k + 6000k /
Green + Amber / 6000k + Green
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 120
Material - Aluminum Die Cast
+ Glass
Wire - 1ft
Driver - PF 0.95 with 6kva surge
IP Grade - IP65
Warranty - 1 YEAR
Price - 5300/-



GLC-N 1012 400wt LED Flood Light

Power - 400W
LED - 2835 Osram / Edison
Colour temp - 3000 / 4000 /
6000 / red / blue / green /
amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 120
Material - Aluminum Die Cast
+ Glass
Wire - 1ft
Driver - PF 0.95 with 6kva surge
IP Grade - IP65
Warranty - 1 YEAR
Price - 10400/-



TRIANGLE GARDEN LIGHT



GLC-N 1013 03 Triangle Garden Light

Power - 3W
LED - Cree
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 24
Material - Aluminum + Glass
Dimension: -Ø45xH:70mm
Wire - 1 Ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 900/-



GLC-N 1013 06 Triangle Garden Light

Power - 6W
LED - Cree
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 24
Material - Aluminum + Glass
Dimension: -Ø65xH:100mm
Wire - 1 Ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 1350/-



GLC-N 1013 12 Triangle Garden Light

Power - 12W
LED - Cree
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 24
Material - Aluminum + Glass
Dimension: -Ø65xH:100mm
Wire - 1 Ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 1500/-



TREE UP LIGHT



GLC-N 1014 03 Tree Up Light

Power - 3W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 24vdc
Beam Degree - 18
Material - Aluminum
Dimension: - L110 x W53 x H32
Wire - 1 Ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 1500/-
Driver extra



GLC-N 1014 06 Tree Up Light

Power - 6W
LED - 3030 Osram
Colour temp - 3000 / 4000 /
6000 / red / blue / green /
amber / pink
CRI - >80Ra
Voltage - 24vdc
Beam Degree - 18
Material - Aluminum
Dimension: - L175 x W70 x H32
Wire - 1 Ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 2300/-
Driver extra



GLC-N 1014 09 Tree Up Light

Power - 9W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 24vdc
Beam Degree - 18
Material - Aluminum
Dimension: - L175 x W70 x H32
Wire - 1 Ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 3100/-
Driver extra



GLC-N 1014 12 Tree Up Light

Power - 12W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 24vdc
Beam Degree - 18
Material - Aluminum
Dimension: - L190 x W80 x H32
Wire - 1 Ft
IP Grade - IP65
Warranty - 1 YEAR
Price - 3900/-
Driver extra

Please Note -

- The Shape/size/looks of the fixture might change according to the new technology.
- Any of the above model can be discontinued without prior notice.
- All products are without driver unless specified.
- Taxes & Freight as applicable

